

## PATENT COOPERATION TREATY

## **PCT**

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Amilianni's an agenti- 51 5								
Applicant's or agent's file reference 103977 TL	FOR FURTHER ACTION See Form	PCT/IPEA/416						
International application No.	International filing date (day/month/year)	th/year) Priority date (day/month/year)						
PCT/FI2003/000303	16.04.2003	19.04.2002						
International Patent Classification (IPC) or	rnational classification and IPC	23.01.2002						
F02M 25/028								
Applicant								
Marioff Corporation OY et al								
This report is the international prei Authority under Article 35 and tra	iminary examination report, established by the	is International Preliminary Examining 36.						
2. This REPORT consists of a total of								
<ol> <li>This report is also accompanied by</li> </ol>								
<b>5</b> 7								
,	and to the International Bureau) a total of	The state of the s						
and/or sheets o	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).							
— beyong the dis	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Boy No. 1 and the							
Supplemental l	Box.							
b. (sent to the Internation	al Bureau only) a total of (indicate type and t	number of electronic carrier(s))						
	. containing a sequence listing	and/or tables related thereto, in computer						
readable form only, as Administrative Instruc	indicated in the Supplemental Box Relating t	o Sequence Listing (see Section 802 of the						
4. This report contains indications rela	ating to the following items:							
Box No. I Basis of t	the report							
Box No. II Priority								
Box No. III Non-estal	blishment of opinion with regard to novelty, i	nventive step and industrial applicability						
	unity of invention	,						
Box No. V Reasoned applicable								
	ocuments cited							
Box No. VII Certain de	efects in the international application							
Box No. VIII Certain of	bservations on the international application							
Date of submission of the demand	Date of completion	of this report						
	- in or completion	or and report						
10.11.2003	27.05.2004							
Name and mailing address of the IPEA/SE	Authorized officer							
Patent- och registreringsverket Box 5055								
S-102 42 STOCKHOLM	Dan Ionesc	o / .Ta a						
Facsimile No. +46 8 667 72 88	Telephone No. +46	Telephone No. +46 8 782 25 00						





INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

PCT/FI2003/000303

Bo	x No. I	B	Basis of the report				
1.	With other	With regard to the language, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.					
Ī		This report is based on a translation from the original language into the following language which is the language of a translation furnished for the purposes of:					
			international search (under Rules 12.3 and 23.1(b))				
			publication of the international application (under Rule 12.4)				
			international preliminary examination (under Rules 55.2 and/or 55.3)				
2.	With regard to the elements of the international application, this report is based on (replacement sheets which he furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "origina and are not annexed to this report):						
		the inte	nternational application as originally filed/furnished				
	$\boxtimes$	the des	escription:				
			s <u>1-16</u> as origina	lly filed/furnished			
		pages*					
	<b>5</b> 7	pages*	- State of the sta				
	$\bowtie$	the clai	aims;				
		pages	as original	lly filed/furnished			
		pages*	as another (together with any statemen				
		pages*		)4			
	$\boxtimes$		rawings:				
			1_6	N 61- 4/6 - 1/1 - 1			
		pages*	as ditghia	ly filed/furnished			
		pages*	received by this Authority on				
		a seque	nence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.				
3.		The am	mendments have resulted in the cancellation of:				
			the description, pages				
			the claims, Nos.				
			Al- I-udana alian 18				
		$\overline{\Box}$	the composes listing of a set to				
			any table(s) related to the sequence listing (specify):				
4.		This rep made, si 70.2(c))	eport has been established as if (some of) the amendments annexed to this report and listed since they have been considered to go beyond the disclosure as filed, as indicated in the Supplement.	below had not been plemental Box (Rule			
			the description, pages				
		$\Box$					
		$\Box$					
		П	the drawings, sheets/figsthe sequence listing (specify):				
			any table(s) related to the sequence listing (specify):	ļ			
• .	lf item	4 applies	es, some or all of those sheets may be marked "superseded."				
	7-7-1	4 4444	0/0 1/ 0/1				



## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/FI2003/000303

Box No. V Reasoned statement us citations and explanat			inder Article tions support	der Article 35(2) with regard to novelty, inventive step or industrial applicability; and supporting such statement		
1. Star	tancut	<del>-</del>				
	Novelty	y (N)	Claims Claims	1 - 17	YES NO	
	Inventi	ive step (IS)	Claims Claims	1 - 17	YES NO	
	Industri	ial applicability (IA)	Claims Claims	1 - 17	YES NO	

2. Citations and explanations (Rule 70.7)

Amended claims have been submitted.

The documents cited in the International Search Report represent the prior art. The claimed invention stated in claims 1-17 is not anticipated by these documents. None of the documents or any relevant combination of them reveals a water spraying system as described by these claims.

According to the arguments stated above, the invention claimed in claims 1 - 17 is novel and considered to involve an inventive step. The industrial applicability of the claimed invention is obvious.

100 03/089777 Claims

10

20

35

- 1. Water spraying system, especially for the humidification of the intake air of a piston engine to reduce nitrogen oxide emissions, said system comprising at least one nozzle (9, 10, 11, 12, 13) for spraying an aqueous liquid mist into the air intake duct (2) and means for conveying the liquid to be sprayed to the nozzle, c h a r a c t e r i z e d in that the system comprises means for accomplishing the injection of a spray of aqueous liquid mist to at least one point in the air intake duct (2) depending on the load and/or speed of rotation and/or temperature of the engine.
- 2. Water spraying system according to claim 1, characterized in that the amount of aqueous liquid to be sprayed into the air intake duct (2) is distributed in the system to several nozzles (9, 10, 11, 12, 13).
  - 3. Water spraying system according to claim 1 or 2, characterized in that the amount of aqueous liquid to be sprayed is distributed in the air intake duct (2) over a larger area to achieve an optimal vaporization, preferably to points with a high temperature and/or air flow or to their vicinity.
- 4. Water spraying system according to any one of claims 1 3, char-acterized in that the number of nozzles (9, 10, 11, 12, 13) in the system is adapted according to the required amount of liquid to be sprayed.
- 5. System according any one of claims 1 4, characterized in that the point of injection and/or direction of injection of the spray of
   liquid mist is adapted according to the required amount of aqueous liquid to be sprayed.
  - 6. System according any one of claims 1-5, characterized in that the system comprises nozzles (9, 10, 11, 12, 13) having different properties, the number and/or type of nozzles spraying being varied according to the amount of liquid required.

WO 03/089777 PCT/FI03/00303

- 7. System according any one of claims 1 6, characterized in that the several nozzles (9 13) in the system are arranged on the same mounting frame (6, 7).
- 8. System according any one of claims 1 7, characterized in that the system comprises a regulating apparatus, by means of which the injection action of at least some of the nozzles (9 - 13) can be controlled.
- 9. System according any one of claims 1 8, characterized in that the system comprises at least one valve element (13, 14), by means of which the liquid flow passage leading to one of the nozzles (9 13) is adjusted and/or opened/closed.
- 10. System according any one of claims 1 9, characterized in that the system comprises a regulating system, by means of which the pressure in at least one supply pipe (17) leading to the nozzles is kept at least nearly constant or at a predetermined level independently of the output of the pump.

20

25

30

35

- 11. System according any one of claims 1 10, characterized in that the system comprises an output regulating pump unit, by means of which the pressure is regulated by pressure control so that the pressure in at least one supply pipe (17) leading to a nozzle is constant.
- 12. System according any one of claims 1 10, characterized in that the system comprises a control system comprising a constant-output pump and controlling the pressure by means of a valve system to maintain a constant pressure in at least one supply pipe leading to a nozzle.
- 13. System according any one of claims 1-12, characterized in that the system further comprises a system for cleaning the nozzles and/or keeping the nozzles clean.
- 14. System according any one of claims 1 13, characterized in that the pressure in the liquid supply piping is 10 300 bar.

AND SARANT

15. System according any one of claims 1-14, characterized in that the droplet size of the water mist is typically below 200 micrometers.

19

5

- 16. System according any one of claims 1-15, characterized in that a second pressure medium, typically a gas, preferably air, is supplied to at least one nozzle.
- 17. Apparatus according any one of claims 1 16, characterized in that the apparatus comprises means for controlling the temperature of the liquid to be injected.